

RIBAPLEX

Vitamin B-complex

Syrup

DESCRIPTION

RIBAPLEX is a preparation of Vitamin B-complex that contains the most important members (B1, B2, B3, B6) of the Vitamin B-group in therapeutically balanced proportions. Each member of Vitamin B-complex plays a specific role in our body functions; they work synergistically to maintain good health and vitality.

Vitamin B-complex has important roles in fat, protein, and carbohydrate metabolism; necessary for proper functioning of the nervous system, immune systems and muscles, including the heart muscles; necessary for RBC formation and hormone synthesis; important in maintaining healthy eyes, skin, mouth and organs; important for normal growth and normal appetite; and may also help relieve depression and anxiety.

COMPOSITION

RIBAPLEX Syrup : Each 5 ml syrup contains Thiamine Hydrochloride (B1) BP 5 mg, Riboflavin (B2) BP/USP 2 mg (as Riboflavin 5-Phosphate Sodium), Nicotinamide (B3) BP 20 mg and Pyridoxine Hydrochloride (B6) BP 2 mg.

INDICATION

Ribaplex (Vitamin B-complex) is used

- **To prevent Vitamin B-complex deficiency** in people who don't get enough from their diets or people on restricted diet
- **To treat Vitamin B-complex deficiency conditions** such as beriberi, oral lesions (glossitis, angular stomatitis, sore-throat), cracks and sores, seborrheic dermatitis, cataracts, weakness, fatigue, anemia, pellagra, depressed immunity, convulsions
- **To prevent Vitamin B-complex deficiency in the states where body's storage of Vitamin B-complex is depleted** such as smoking, alcoholic beverages, prolonged antibiotic therapy, diuretic therapy, prolonged or wasting diseases, diabetes
- **To fulfill the increased requirement of Vitamin B-complex** of growing-children, pregnant and lactating mother
- **For the management of convalescence, in stress condition and help relieve depression & anxiety**
- **For the maintenance of normal appetite, especially in anorexic condition**

DOSAGE AND ADMINISTRATION

Doses for the treatment of B-complex deficiency conditions :

Adults & Children : 5 ml-10 ml Ribaplex syrup three times daily or as directed by the Physician.

Infants : 5 ml Ribaplex syrup once daily or as directed by the Physician.

Doses for the prevention of B-complex deficiency :

Adults & Children : 5 ml-10 ml Ribaplex syrup daily

Infants : as directed by the Physician.

CONTRAINDICATION

RIBAPLEX is contraindicated in known hypersensitivity to Vitamin B-complex.

IN PREGNANCY & LACTATION

RIBAPLEX is recommended during pregnancy & lactation but should be used only if clearly needed.

SIDE EFFECT

Vitamin may cause mild nausea or unpleasant taste. Side effects are rare with normal dosage.

STORAGE

Store in a cool dry place and away from light. Keep out of the reach of children.

HOW SUPPLIED

RIBAPLEX Syrup 200 ml □ □ Bottle containing 200 ml syrup.



Manufactured by
Apex Pharma Ltd.
Shafipur, Gazipur